

N64-17357

NASA CONTRACTOR
REPORT

NASA CR-61255

January 1969

NASA CR-61255

**CASE FILE
COPY**

CURTAILED ATTRIBUTE SAMPLING

Prepared under Contract No. NAS 8-11175 by
A. Clifford Cohen

THE UNIVERSITY OF GEORGIA

For

NASA-GEORGE C. MARSHALL SPACE FLIGHT CENTER
Marshall Space Flight Center, Alabama

January 1969

NASA CR-61255

CURTAILED ATTRIBUTE SAMPLING

By

A. Clifford Cohen

Prepared under Contract No. NAS 8-11175 by

THE UNIVERSITY OF GEORGIA

For

Aero-Astroynamics Laboratory

Distribution of this report is provided in the interest of information exchange. Responsibility for the contents resides in the author or organization that prepared it.

NASA-GEORGE C. MARSHALL SPACE FLIGHT CENTER

CURTAILED ATTRIBUTE SAMPLING

A. Clifford Cohen

The University of Georgia

SUMMARY

This paper is concerned with maximum likelihood estimation of a process (or lot) average proportion of defectives based on attribute samples that have been curtailed either with rejection of a lot on finding the k th defective or with acceptance on find the K th non-defective. The MLE, \hat{p} , based on inspections from a sequence of m lots is shown to be simply the ratio of the number of defectives found to the total number of items inspected, and the asymptotic variance of this estimator is shown to be approximately $\hat{p}(1-\hat{p})/\sum_1^m y_i$, where $\sum_1^m y_i$ is the total of all items inspected.

CURTAILED ATTRIBUTE SAMPLING*

A. Clifford Cohen

The University of Georgia

1. INTRODUCTION

Maximum likelihood estimation of the fraction defective and of the ASN (average sample number) in single stage curtailed sampling has been considered by Phatak and Bhatt [5]. In two recent papers, Craig [1,2] derived simplified expressions for the ASN in both single-stage and in two-stage curtailed sampling plans. In the present paper, arguments previously advanced in obtaining estimators are simplified by choosing the number of items inspected as the basic random variable rather than the artificial variable employed in [5]. The end results obtained here are the same as corresponding results obtained by Phatak and Bhatt.

Our concern here is with attribute acceptance plans in which randomly selected individuals units from a lot are inspected in sequence until either

- 1, an accumulated total of k defectives are found, in which case the lot is rejected, or until
- 2, an accumulated total of K non-defectives are found, in which case the lot is accepted.

* Research sponsored by the Aero-Astrodynamic Laboratory of the Marshall Space Flight Center, National Aeronautics and Space Administration; Contract NAS8-11175. The contract monitor is Mr. L. W. Falls, R-AERO-YT.

The number of items Y , inspected in order to reach a decision with respect to acceptance or rejection of a given lot is thereby a discrete random variable which may assume the values $k, k+1, \dots, n$, where

$$n = k + K - 1. \quad (1)$$

Sampling may thus be terminated after inspecting as few as k items from a lot, and in no case will more than n items be inspected from a given lot.

2. THE RANDOM VARIABLE Y , NUMBER ITEMS INSPECTED

Let p designate the probability of selecting a defective in a single trial, and let this probability remain constant from trial to trial. Furthermore, let the trials be stochastically independent. Thus, p may be interpreted as the process average proportion of defectives. For sufficiently large lots, however, we may justify considering p as the proportion of defectives in the lot. The probability function of Y may be expressed as

$$f(y;p) = f(y \cap R;p) + f(y \cap A;p), \quad (2)$$

where $f(y \cap R;p)$ is the joint probability that $Y = y$,

and that the lot will be rejected, whereas $f(y \cap A;p)$ is the joint probability that $Y = y$, and that the lot will be accepted. It follows that

$$f(y \cap R;p) = \binom{y-1}{k-1} p^k q^{y-k}; \quad y = k, k+1, \dots, n, \quad (3)$$

and

$$f(y \cap A;p) = \binom{y-1}{K-1} q^K p^{y-K}; \quad y = K, K+1, \dots, n, \quad (4)$$

where $q = 1 - p$.

Functions (3) and (4) are recognized as probability functions of one-parameter negative binomial distributions. The probability function (2) may be expressed as

$$f(y;p) = \begin{cases} f(y \cap R;p); & y = k, k+1, \dots, K-1. \\ f(y \cap R;p) + f(y \cap A;p); & y = K, K+1, \dots, n. \end{cases} \quad (5)$$

On substituting (3) and (4) into (5), we have

$$f(y;p) = \begin{cases} \binom{y-1}{k-1} p^k q^{y-k}; & y = k, k+1, \dots, K-1, \\ \binom{y-1}{k-1} p^k q^{y-k} + \binom{y-1}{K-1} q^K p^{y-K}; & y = K, K+1, \dots, n. \\ 0, & \text{elsewhere.} \end{cases} \quad (6)$$

The probability of rejecting a lot follows from (3) when we sum on y from k to n . Thus

$$P(R) = \sum_{y=k}^n \binom{y-1}{k-1} p^k q^{y-k}. \quad (7)$$

It has been shown by Patil [3,4] by Morris [6], and perhaps by others that the following identity holds between the binomial and the negative binomial distributions

$$\sum_{z=k}^n \binom{n}{z} p^z q^{n-z} = \sum_{y=k}^n \binom{y-1}{k-1} p^k q^{y-k}. \quad (8)$$

Therefore, the probability of rejecting a lot can be expressed in the alternate form

$$P(R) = \sum_{z=k}^n \binom{n}{z} p^z q^{n-z}, \quad (9)$$

where Z is the number of defectives present in a sample of size n , and where n is given by (1).

It consequently follows that the operating characteristic curve of the curtailed sampling plan described above as specified by k and K is identical with the operating characteristic curve of an ordinary single sampling plan specified by n and k where $n = k + K - 1$. Curtailment of course permits a decision to be reached with fewer inspections than when fixed size samples are employed.

3. ESTIMATION USING CURTAILED SAMPLES

Suppose that m lots have been subjected to inspection in accordance with the curtailed plan described in Section 2. Let a be the number of lots that were accepted and let r be the number rejected so that

$$m = a + r. \quad (10)$$

Let the number of defectives found and the number of items inspected be recorded for each lot. The sample data then consists of the paired values (z_1, y_1) , (z_2, y_2) , . . . , (z_a, y_a) , (k, y_{a+1}) , (k, y_{a+2}) , . . . , (k, y_{a+r}) where z_i ($i = 1, \dots, a$) is the number of defectives found in the i th accepted lot ($z_i < k$) and k , of course, is the number of defectives found in each rejected lot. We could describe our sample more concisely as consisting of the paired values (z_i, y_i) ; $i = 1, 2, \dots, m$, with $z_i < k$ for accepted lots and $z_i = k$ for rejected lots. Using (6), the likelihood function for such a sample follows as

$$L[(z_1, y_1), (z_2, y_2), \dots, (z_m, y_m)] = \quad (11)$$

$$\prod_{i=1}^r \binom{y_i-1}{k-1} p^k q^{y_i-k} \prod_{j=1}^a \binom{y_j-1}{K-1} q^K p^{y_j-K}.$$

On taking logarithms of (11), differentiating with respect to p , equating to zero, and solving for p we obtain

$$\hat{p} = \frac{\left[\sum_{j=1}^a y_j - aK \right] + rk}{\sum_{i=1}^m y_i} \quad (12)$$

We note that in (12),

rk = number of defectives in r rejected lots.

aK = number of non-defectives in a accepted lots,

$\sum_{j=1}^a y_j$ = total number inspections from a accepted lots,

$\sum_{i=1}^m y_i$ = total number inspections from $m = a + r$ lots.

Accordingly, (12) can be written as

$$\hat{p} = \frac{\text{Total number of defectives found}}{\text{Total number of units inspected}} \quad (13)$$

The asymptotic variance of \hat{p} in this case can be obtained as $V(\hat{p}) \sim -1/E(\partial^2 \ln L / \partial p^2)$, which after certain algebraic reduction becomes

$$V(\hat{p}) \sim \hat{p}\hat{q}/mE(Y). \quad (14)$$

The expected value of Y is given in Section 4 which follows. However, for a sufficiently large number of lots, the mean of the observed values of Y should provide a reasonable approximation to $E(Y)$. Accordingly, the variance of (14) might be approximated as

$$V(\hat{p}) \approx \hat{p}\hat{q} / \sum_{i=1}^m y_i \quad . \quad (15)$$

4. AVERAGE SAMPLE SIZE IN CURTAILED SAMPLES

In the notation of this paper, the average sample size (or average sample number, ASN) is merely the expected value of Y .

$$ASN = E(Y). \quad (16)$$

It follows from (6) that

$$E(Y) = \sum_{y=k}^n y \binom{y-1}{k-1} p^k q^{y-k} + \sum_{y=K}^n y \binom{y-1}{K-1} q^K p^{y-K} \quad (17)$$

which, using the identity of (8), becomes

$$E(Y) = \frac{k}{p} \left\{ 1 - B[p, n+1, k] \right\} + \frac{K}{q} B[p, n+1, k-1]. \quad (18)$$

where

$$B[p, n, k] = \sum_{x=0}^k \binom{n}{x} p^x q^{n-x}, \text{ and } n = k + K - 1. \quad (19)$$

The expression given above in (18) was given by Phatak and Bhatt [5], and an equivalent form which enjoys certain advantages for computational purposes was given by Craig [1.2].

REFERENCES

- [1] Craig, C. C., 1968. "The ASN for truncated single and double attribute acceptance sampling plans." ASQC Convention Transactions, pp. 63-67.
- [2] Craig, C. C. 1968, "The average sample number for truncated single and double attribute sampling plans, "Technometrics 10, 685-692.
- [3] Patil, G. P., 1960 "On the evaluation of the negative binomial distribution with examples. "Technometrics, 2, 501-505.
- [4] Patil, G. P., 1963 "Note on the equivalence of the binomial and inverse binomial acceptance sampling plans and an acknowledgement. "Technometrics, 5. 119-121.
- [5] Phatak, A. G., and Bhatt, M. M., 1967. "Estimation of fraction defective in curtailed sampling plans, "Technometrics, 9, pp. 219-228.
- [6] Morris, K. W., 1963 "A note on direct and inverse binomial sampling," Biometrika, 50. 544-545.

DISTRIBUTION

R-DIR

Mr. H. K. Weidner

R-AERO

Dr. Geissler
Mr. Cummings
Mr. Dahm
Mr. Dalton
Mr. Baker
Dr. Heybey
Mr. Horn
Mr. Jean
Dr. Krause
Mr. Deaton
Mr. Reed
Mr. Rheinfurth
Mr. C. Brown
Mr. O. Smith (25)
Mr. R. Smith
Mr. Lindberg
Mr. Vaughan (3)
Mr. Daniels
Mr. L. Falls (25)
Mr. Mabry
Mr. Murphree
Mr. Lavender
Mr. Ryan
Mr. Lester

R-ASTR

Director
Mr. Hosenthien
Mr. Hoberg

R-ASD

Director

R-QUAL

Director (2)

R-TEST

Director

DIR

R-P&VE

Mr. Heimbarg
Mr. Goerner
Mr. Hellebrand
Mr. Hunt
Mr. Kroll
Mr. Moore
Mr. Stevens
Mr. Showers

R-RPL

Director
Mr. Downey
Dr. Dozier
Dr. Shelton
Mr. Heller

DEP-T

Dr. E. Rees

MS-IP

MS-IL (8)

MS-H

I-RM-M

CC-P

MS-T (6)

Sci. & Tech. Info. Facility (25)
P. O. Box 33
College Park, Md. 20740
Attn: NASA Rep. (S-AK/RKT)

NASA Headquarters

Federal Office Bldg. No. 6
Washington 25, D. C. 20546
Attn: Tech. Info. Div. (2)

Ofc. of Adv. Res. & Tech.

Attn: Director

Mr. D. A. Gilstad

Mr. R. V. Rhode

Dr. R. H. Wilson (2)

Ofc. of Manned Space Flt.

Attn: Director

Adv. Manned Mission Ofc.

Apollo Program Ofc.

Gemini Program Ofc.

DISTRIBUTION (Continued)

NASA Headquarters (Cont'd)

Ofc. of Space Sci. and Applications

Attn: Director
Dr. H. Newell
Dr. M. Tepper
Mr. M. Dubin
Mr. W. Spreen

Langley Research Center
Hampton, Va. 23365

Attn: Director
Mr. V. Alley
Mr. R. E. Henry
Mr. H. B. Tolefson
Mr. W. Reed, III
Tech. Library

John F. Kennedy Space Center
Cape Kennedy, Fla. 32899

Attn: Col. A. H. Bagnulo
Mr. J. P. Claybourne
Mr. J. H. Deese
Dr. H. F. Gruene
Mr. R. E. Jones
Dr. A. H. Knothe
Dr. P. Ricca
Mr. K. Sandler
Mr. A. J. Taiani
Tech. Library

Lewis Research Center
Cleveland, Ohio 44135

Attn: Director
Mr. C. Wentworth
Tech. Library

Manned Spacecraft Center
Houston, Texas 77058

Attn: Director
Mr. J. D. Dodge
Mr. C. R. Huss
Mr. M. V. Jenkins
Mr. J. N. Kotanchik
Mr. C. C. Kraft, Jr.
Mr. W. A. Lee
Mr. C. W. Matthews
Mr. D. K. Slayton
Mr. R. F. Thompson

EXTERNAL DISTRIBUTION (Cont'd)

Goddard Space Flight Center
Greenbelt, Md. 20771
Attn: Director
Tech. Library

Ames Research Center
Moffett Field, Calif. 94035
Attn: Director
Library

Jet Propulsion Lab.
4800 Oak Grove Dr.
Pasadena, Calif. 91100
Attn: Library

Dr. Sidney Addelman
Statistical Res. Div.
Research Triangle Inst.
P. O. Box 490
Durham, N. C. 27702

Air Force Cambridge Res. Labs.
Bedford, Mass. 01730
Attn: Mr. I. I. Gringorten
Dr. D. A. Haugen
Mr. N. Sissenwine
Tech. Library

Air Weather Service
U. S. Airforce
Scott AFB, Ill. 61475
Attn: Dr. R. D. Fletcher
Dir., Aerospace Sciences
Technical Library

Dr. T. A. Bancroft
Head, Dept. of Statistics
Iowa State Univ.
Ames, Iowa 50010

Dr. Gerald D. Berndt
Operations Analysis Office
SAC Hdqs.
Offutt AFB, Nebraska 68861

Mr. Jerold Bidwell
Mail No. A-43
The Martin Co.
P. O. Box 179
Denver, Colorado 80201

Dr. Ralph A. Bradley
Head, Dept. of Statistics
Fla. State Univ.
Tallahassee, Fla. 32306

Dr. C. E. Buell
Kaman Nuclear
Garden of the Gods Rd.
Colorado Springs, Colorado 80900

University of Ga.
Dept. of Statistics
Athens, Ga. 30601
Attn: Dr. C. F. Kossack (2)
Dr. W. O. Williford
Dr. B. J. Williams
Dr. A. C. Cohen

Dr. C. C. Craig
Dir., Statistical Res. Lab.
Univ. of Michigan
Ann Arbor, Michigan 48104

Dr. H. L. Crutcher
National Weather Records Center
Federal Bldg.
Asheville, N. C. 28801

Dr. H. A. David
Dept. of Biostatistics
Univ. of N. C.
Chapel Hill, North Carolina 27515

Dr. Paul S. Dwyer
Dept. of Mathematics
Univ. of Michigan
106 Rockham Bldg.
Ann Arbor, Michigan 48104

EXTERNAL DISTRIBUTION (Continued)

Dr. Churchill Eisenhart
Senior Res. Fellow
Administration Bldg. A-1000
National Bureau of Standards
Washington, D. C. 20234

Mr. William Elam
Bell Communications, Inc.
1100 17th St., NW
Washington, D. C.

Dr. O. M. Essenwanger
AOMC Res. Lab.
ORDMX-RRR
Redstone Arsenal, Ala. 35812

Dr. Arnold Court
17168 Septo St.
Northridge, Calif.

Dr. A. L. Finkner
Dept. of Experi. Statistics
N. C. State College
Durham, North Carolina 27702

Dr. T. A. Gleeson
Dept. of Meteorology
Fla. State Univ.
Tallahassee, Fla. 32306

Dr. B. G. Greenberg
Dept. of Biostatistics
School of Public Health
Univ. of N. C.
Chapel Hill, North Carolina 27515

Dr. Frank E. Grubbs
Assoc. Tech. Dir.
Ballistic Res. Lab.
Aberdeen Proving Ground, Md. 21005

Dr. S. B. Littaver
Industrial & Management Engr.
Columbia Univ.
320 Seeley W. Mudd Bldg.
N. Y. 27, N. Y. 13625

Dr. Boyd Harshbarger
Head, Dept. of Statistics
Va. Polytechnic Inst.
Blacksburg, Va. 24061

Dr. H. O. Hartley
Dir., Inst. of Statistics
Texas A&M University
College Sta., Texas 77843

Headquarters DCAS (DCLW)
AF Unit Post Office
Los Angeles 45, Calif. 9000

Dr. L. M. Lecam
Dept. of Statistics
Univ. of Calif.
Berkely, Calif. 94720

Mr. R. Martin
General Dynamics/Astronautics
P. O. Box 1128
San Diego, Calif. 92112

Dr. P. R. Merry
Director, OA Standby Unit
Univ. of Denver
Denver, Colorado 80202

Meteorological & Geostrophysical
Abstracts
P. O. Box 1736
Washington 13, D. C.

Dr. F. Mosteller
Dept. of Statistics
Harvard Univ.
Rm. 311, 2 Divinity Ave.
Cambridge, Mass. 02138

Dr. Geo. E. Nicholson, Jr.
Chairman, Dept. of Statistics
Univ. of N. C.
Chapel Hill, North Carolina 27515

EXTERNAL DISTRIBUTION (Continued)

North American Aviation, Inc.
AFSC (SCWTS)
Andrews Air Force Base
Washington, D. C. 20331

Pan American World Airways
Patrick AFB, Fla. 32925
Attn: Mr. Gerald Finger
Mr. O. H. Daniel

Pennsylvania State Univ.
Dept. of Meteorology
State College, Pa. 16801
Attn: Dr. Hans Panofsky
Dr. C. Kreitzburg

RSIC (2)
Redstone Arsenal, Ala. 35812

Staff Meteorologist
Eastern Test Range
Det. 11, 4th Weather Group
Patrick AFB, Fla. 32925

Mr. Clement Schmidt
Flight Dynamics Lab.
Aeron. Sys. Div.
Wright-Patterson AFB, Ohio 45433

U. S. Weather Bureau
Washington 25, D. C.
Attn: Dr. R. M. White, Chief
Office of Climatology
Dr. G. Barger
Mr. H. C. S. Chom

Spaceflight Meteorology Group
Mr. K. Nagler

Tech. Library

Mr. Marvin White
Space Technology Labs.
Structures Dept.
One Space Park
Redondo Beach, Calif. 90277

Lockheed Co.
Research Park
Huntsville, Ala.
Attn: Dr. D. McDonald
Mr. E. A. Carter
Miss J. L. Wood
Dr. W. A. Bolman

Mr. B. N. Charles
Booz-Allen Appl. Res., Inc.
Los Angeles, Calif. 90045

Mrs. N. E. Rich
Bldg. 5400
Code AMS MI-RDF
Redstone Arsenal, Ala. 35809

Dr. Wm. Mendenhall
Head, Dept. of Statistics
Univ. of Fla.
Gainesville, Fla.

Dr. Max Woodbury
Div. of Biomathematics
P. O. Box 3200
Duke Medical Center
Durham, North Carolina 27706